Catalogue for internal software tools

This entry describes how to use the catalogue for internal software tools. This document is created for the customers and employees of PC CADDIE.

Dialogues

There are a total of 3 dialogues in the catalogue for internal software tools.

1. main dialogue for employees

The employee can add, edit and delete tools in this dialogue. There is a "Sync" button so that the list is available in the main dialogue for customers, but the list is automatically updated as soon as the list has been adjusted. Of course, the employee can open the tool in the same way as the customer. Clicking on a tool will display additional information on the lower side of the main dialogue.

2nd dialogue for customers

The customer has the same view of the dialogue as the employee. The difference is that the list is not customisable, but only the tools that have been uploaded by the employee can be started.

3. dialogue "Manage tool"

Only the employee can access this dialogue, as it is only opened when the employee clicks on the "New", "Edit" or "Delete" button. The employee enters all the necessary information about the tool, which is then saved in a JSON file.

Employee view of PC CADDIE

This section shows how to add, edit and delete a tool in the list in the main dialogue.

The catalogue for internal tools can be found on PC CADDIE in the "System" ribbon.



Catalogue for internal software tools in the ribbon

First of all, you are asked whether you want to start the catalogue in customer mode or admin mode. Admin mode, is selected to manage the tools.

Dial	og-Modus	\times	
	In welchem Modus möchten Sie den Katalog für interne Software nutzen?		
Þ	<u>U</u> ser-Mode		
Þ	Admin-Mode		
			Dialogue mode query

The main dialogue is now opened:

Katalog für interne Sof	twaretools				×
Name	Version	Kategorie		✓ <u>Q</u> ffnen	
				+ Neu	F9
				🖉 Läschen	FS
				C Shuc	F9
Name	Kein Tool selektiert				
Beschreibung:			^		
			~		
Link			0		
Version:					
Kategorie: ID:				📑 Ende	

In this example, no tool will be visible in the list for notification purposes.

1. adding a tool

To add a tool to the list, click on the button **"New" button**.

The "Manage tool" dialogue appears, where you can enter all the information.

Fool verwalten			
ID:	papdesigner	Neues ZIP erstellen	+ Speichern F9
Version:	v2.2.0.8.07	PapDesigner.exe	
Kategorie:	Entwicklung		
Beschreibung:	ablaufsplan (PAP) angelehnt.		
Link no Mahsaitar	de/nandesigner/Hauntseite ht		
Suchwörter:	esigner, PapDesigner, Program	4	
Versionsverfahren:	OVERWRITE		
Start-Typ:	START		
Startkommando:	PapDesigner.exe		X Abbruch

tool" dialogue

As soon as you have entered all the information, you can click on the "Save" button. The dialogue will close and the added tool will be displayed in the list.

Mandatory fields

Input field	Description field	Input length
ID	The ID is used as the folder name and JSON file. Pay attention to lower case	30 characters
Name	The name can be seen in the main dialogue on the list.	100 characters
Version	The version is used to check the latest version. No special characters.	100 characters
Category	The category is shown in the list in the main dialogue.	-
Description	The description is displayed in the main dialogue.	160 characters
Link to website	The link to the website shows more information about the tool. Click on the button.	200 characters

Input field	Description field	Input length
Version method	The version method indicates whether the folder should be deleted or not. "OVERWRITE" is the default. "CLEAR" deletes the folder.	-
Start type	Specifies how the tool will be opened. "START" - Start tool, "OPEN_DIRECTORY" - Storage location of the tool, "SAVE" - Save only.	-
Start command	Executable programme is used for the start type to start the tool.	100 characters
Folder	Source folder for file selection.	-

To edit a tool, click on a tool in the list and then click on the "Edit" button to open the "Manage tool" dialogue. In this example, the version is changed.

	Softwaretools		
Name	Version Kategorie		✓ <u>Ö</u> ffnen
PapDesigner	v2.2.0.8.07 Entwicklung		
			+ Neu FS
			P Edit F7
			U Loschen Ha
			C Sync FS
Name	Patronisee		
Name:	PapDesigner		
Name: Beschreibung:	PapDesigner PapDesigner ist ein Werkzeug zum Erstellen eines Programmablaufsplan (PAP) angelehnt.	^	
Name: Beschreibung:	PapDesigner PapDesigner ist ein Werkzeug zum Erstellen eines Programmablaufsplan (PAP) angelehmt.	×	
Name: Beschreibung: Link:	PapDesigner PapDesigner ist ein Werkzeug zum Erstellen eines Programmablaufsplan (PAP) angelehmt. http://friedrich-folkmann.da/papdesigner/Hauptseite.html	^ ~	
Name: Beschreibung: Link: Version:	PapDesigner PapDesigner ist ein Werkzeug zum Erstellen eines Programmablaufsplan (PAP) angelehnt. http://friedrich-folkmann.de/papdesigner/Hauptseite.html v2.2.0.8.07		
Name: Beschreibung: Link: Version: Kategorie:	PapDesigner PapDesigner ist ein Werkzeug zum Erstellen eines Programmablaufsplan (PAP) angelehnt. http://friedrich-folkmann.de/papdesigner/Hauptseite.html v2.2.0.8.07 Entwicklung	^ Ф	

In this dialogue, you will notice that the "ID" cannot be changed. The reason is so that the folder name and the JSON file retain the name.

ool verwalten			
ID:	papdesigner	V Neues ZIP erstellen	+ Speichem F9
Name:	PapDesigner	Ordner: C:\Users\Jeremy\Downloads\PapDesigner.exe\ 📑 Auswählen	
Version:	v2.2.0.8.08	PapDesigner.exe	
Kategorie:	Entwicklung +		
Beschreibung:	PapDesigner ist ein Werkzeug 🔨		
	~		
Link zu Webseite:	http://friedrich-folkmann.de/pap		
Suchwörter:	Designer, PapDesigner, Programm		
Versionsverfahren:	OVERWRITE *		
Start-Typ:	START *		
Startkommando:	PapDesigner.exe		X Abbruch

In this example, the latest version of the tool is entered under "Version". Of course, the files must be selected again when changing the version. Click on the "Save" button to save the information and close the dialogue. The version entered can now be seen in the list in the main dialogue.

3. deleting a tool

To delete a tool, a tool must be selected in the list and the "Delete" button clicked. To finalise this function, you must confirm that you actually want to delete the selected tool.

talog für interne	Softwaretools					X
Name	Version	Kategorie			✓ <u>Q</u> ffnen	
PapDesigner	v2.2.0.8.09	Entwicklung				
					+ Neu	FB
					/ Edit	F7
		Tool löschen	\times		🗍 Läschen	FS
		Soll das Tool PapDesigner gelöscht werde Alle Dateien des Tools werden gelöscht	en? !		C Sync	FS
		√ µ				
		× Nein				
Name:	PapDesigner					
Beschreibung:	PapDesigner ist ein Werkzeug zur	m Erstellen eines Programmablaufsplan (PAP) ange	lehnt.	^		
Link	http://frightish.followang.do/page	designer/Maunteaite brow		× D		
Version:	v2.2.0.8.09	and the state of the second		0		
Kategorie:	Entwicklung					
ID:	papdesigner				📑 Ende	

Customer view of PC CADDIE

This section explains how to start a tool in the list in the main dialogue.

Opening a tool

The customer finds the catalogue for internal software tools in the same way as the employee (see Employee view of PC CADDIE). The dialogue shows a list with all of the employee's uploaded tools. So that the customer can open a tool, the customer clicks on a tool in the list and clicks on the "Open" button. Depending on the selected option of the start type (see mandatory fields), the tool is either started, the File Explorer and the storage location are opened or only saved.

If a new version is available and this has been uploaded by the employee on the list, you will be asked whether you want to load the new version or start the outdated version.

Name	Version	Kategorie		✓ <u>Q</u> ffnen	
PapDesigner	v2.2.0.8.9	Entwicklung			
		Tool starten X Es ist eine neue Version verfügbar. Version Server: v22.0.8.9 Version Lokat: v22.0.8.8 Version Lokat: v22.0.8.8 > Ljodate laden Lokale Version starten			
ame.	PapDesigner				
leschreibung:	PapDesigner ist ein Werkzeug zum Erst	ellen eines Programmablaufplans (PAP) angelehnt	< v		
	http://friedrich-folkmann.de/papdesigr	ter/Hauptseite.html			
inic					
ink: ersion:	v2.2.0.8.9				
inic Tersion: Tategorie:	v2.2.0.8.9 Entwicklung				

ery